



NV CANN LABS
FROM ART TO SCIENCE



PJLA
Testing
Accreditation #97453

Certificate of Analysis

Powered by Confident Cannabis
1 of 1

CONFIDENTIAL

Sample: 1902NVC0208-0927


Strain: Honolulu Haze Kief

Sample Received: 02/05/2019; Report Created: 02/08/2019

Honolulu Haze Kief

Plant, Flower - Cured

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



0.192%

THCa

0.168%

Total THC

19.033%

Total CBD

Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.129	0.192	1.92
Δ9-THC	0.129	<LOQ	<LOQ
CBDa	0.129	21.702	217.02
CBD	0.129	<LOQ	<LOQ
CBC	0.064	<LOQ	<LOQ
CBG	0.064	0.075	0.75
CBN	0.129	<LOQ	<LOQ
THCV	0.064	<LOQ	<LOQ
Δ8-THC	0.064	<LOQ	<LOQ
CBGa	0.064	0.765	7.65
CBDV	0.064	<LOQ	<LOQ
Total		22.734	227.34

Notes:

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids analyzed by SOP-021.

6631 Schuster Street
Las Vegas, NV
(702) 826-2700
<http://www.nvcann.com>

Brenda Shaloo

Brenda Shaloo
Scientific Operations Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



www.confidentcannabis.com

All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by NV Cann Labs using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. NV Cann Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of NV Cann Labs. Uncertainty information is available upon request. pH/Water activity is NOT ISO 17025 accredited.